



IMIDAGEL 2,15 % PC

Reg. No. L8850 Act/Wet No.36 of/van 1947

A ready-for-use insecticidal gel bait for the control of German cockroaches only in domestic dwellings

'n Gereed-vir-gebruik insekdodende jel lokaas vir die beheer van Duitse kakkerlakke in woonhuise

ACTIVE INGREDIENT/AKTIEWE BESTANDDEEL:

Imidacloprid (chloro-nicotinyl).....21.5 g/kg.....Imidaklopried (chloro-nikotiniel)

Manufacture date:
Vervaardigingsdatum:

Batch No.:
Lotnommer:

CONTENTS/INHOUD

kg

SEE ENCLOSED LEAFLET FOR FULL PARTICULARS
SIEN INGESLOTE VOUBILJET VIR VOLLE BESONDERHEDE

REGISTRATION HOLDER/ REGISTRASIEHOUER

SafeGuard Crop Protection (Pty) Ltd
Co. Reg. No. 1971/012583/07
22 Burnside Drive,
Old Mill Industrial Park,
Mount Edgecombe, South Africa, 4000
Tel: 031 538 8700



Infestation level	Spot size	Nr. of spots/m ²	Remarks
Low	3 mm (0.25 g)	1-2	Numerous smaller placements are recommended for optimum control. Where infestation levels are high inspect the gel after four weeks. The gel should still be visible, pliable and uncontaminated. Replace if necessary.
High	6 mm (0,5 g)	1-2	

Verwyder die dop van die buis en raak die toedieningsoppervlakte met die punt van die buis aan. Druk die suier van die spuit liggies tot die vereiste hoeveelheid gel toegedien is. Plaas die dop terug na gebruik.

Vlak van besmetting	Druppelgrootte	Aantal druppels/m²	Opmerkings
Lig	3 mm (0.25 g)	1-2	Talryke kleiner druppels word aanbeveel vir optimum beheer. Waar swaar besmettings voorkom moet die druppels na vier weke ge-inspekteer word. Die gel moet steeds sigbaar, buigbaar en skoon wees. Vervang indien nodig.
Swaar	6 mm (0,5 g)	1-2	